WEST Search History

Hide Items	Restore	Clear	Cancel
		***************************************	***************************************

DATE: Monday, October 31, 2005

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=U	SPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ	
	L5	L4 and @pd<20020104	3
	L4	Zingiber officinale near5 oil	10
	L3	L2 and @pd<20020104	1
	L2	L1 near9 (anti\$inflamm\$7 or analgesic or pain or anti\$1arthrit\$5 or arthri\$5 or rheum\$5 or anti\$1rheuma\$5)	5
	L1	ginger oil	347

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 11:35:37 ON 31 OCT 2005)

FILE 'BIOSIS, MEDLINE, CAPLUS, CANCERLIT, LIFESCI, SCISEARCH' ENTERED AT 11:36:00 ON 31 OCT 2005

L1 138213 S SHARMA?/AU

L2 13 S L1 AND GINGER OIL

L3 3 DUP REM L2 (10 DUPLICATES REMOVED)

TITLE: Suppressive effects of eugenol and ginger

oil on arthritic rats.

AUTHOR(S): Sharma, Jagdish N. [Reprint author]; Srivastava,

Krishna C.; Gan, Ee K.

CORPORATE SOURCE: Dep. Pharmacol., Sch. Med. Sci., University Sci. Malaysia,

16150 Kubang Kerian Kelantan, Malaysia

SOURCE: Pharmacology (Basel), (1994) Vol. 49, No. 5, pp. 314-318.

CODEN: PHMGBN. ISSN: 0031-7012.

DOCUMENT TYPE:

Article English

LANGUAGE: ENTRY DATE:

Entered STN: 8 Feb 1995

Last Updated on STN: 9 Feb 1995

AB This study examined the effect of eugenol and ginger oil on severe chronic adjuvant arthritis in rats. Severe arthritis was induced in the right knee and right paw of male Sprague-Dawley rats by injecting 0.05 ml of a fine suspension of dead Mycobacterium tuberculosis bacilli in liquid paraffin (5 mg/ml). Eugenol (33 mg/kg) and ginger oil (33 mg/kg), given orally for 26 days, caused a significant suppression of both paw and joint swelling. These findings suggest that eugenol and ginger oil have potent antiinflammatory and/or antirheumatic properties.